

Enviro-Acoustics Pty Ltd (AUS) / Enviro Acoustics FZE (UAE) / Envirospray300 (IND)

2 / 29 Charles St, ST MARYS NSW 2760

PH: +61-2- 9623 4400 FAX: +61-2- 9623 4600 - AUSTRALIA



Envirospray 300

Thermospray 800

Supacell

ENVIROSPRAYTM300
 SPRAY APPLIED ACOUSTIC & THERMAL SYSTEMS

MATERIAL SAFETY DATA SHEET

Updated: Jan 2025

SECTION 1

PRODUCT IDENTIFICATION

- 1.1 Product Name:** Envirospray 300
- 1.2 Trade Names:** Thermospray 800, Enviropanel, Supacell Loose Fill
- 1.3 Generic Name:** Cellulose Insulation
- 1.4 Manufacturer:** Enviro-Acoustics Pty Ltd ABN 87 088 722 329
- 1.5 Address:** 2 / 29 Charles St, ST MARYS NSW 2760 Tel: +61-2-9623 4400
- 1.6 Primary Components:** Cellulose, Boric Acid, Borax
- 1.7 Appearance & Odour:** Fibrous loose pulped fire-resistant paper with no odour and packed in woven Polythene 50 litre bags, approximate weight 12.0kg
- 1.8 Uses:** Used as an Acoustic Absorber and Thermal Barrier on roofs, ceilings, Walls and floors. Used as solid fill to cavities for vermin proofing.
- 1.9 Trademarks:** Envirospray 300, Thermospray 800, Enviropanel, Supacell

SECTION 2

COMPOSITION and INFORMATION On INGREDIENTS

CHEMICAL NAME	CAS ID NUMBER	PROPORTION	*EXPOSURE LIMITS
CELLULOSE (MACERATED PAPER)	9004-34-6	80%	10
BORIC ACID H ₃ BO ₃	10043-35-3	15 %	10
BORAX Sodium Borate Na ₂ H ₄ B ₄ O ₉	1303-96-4	5%	15

Note 1 : *NOHSC (1003 – 1995) – 8hr TWA, mg/m³

Note 2 : This product does not contain any form of asbestos, CFC or man made fibres.

Base cellulose is reconstituted from wood pulp only.

SECTION 3**HEALTH HAZARD IDENTIFICATION DATA****NON-HAZARDOUS SUBSTANCE – NON-DANGEROUS GOOD**

STATEMENT OF HAZARDOUS NATURE: *Not classified as Hazardous according to the criteria of the Australian Safety and Compensation Commission ASCC (formerly National Occupational Health and Safety Commission NOHSC) Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition. Non-Dangerous Goods under State and Commonwealth legislation. Risk and Safety phrases are not applicable to this product.*

3.1 Route of Entry:

3.1.1 Eyes	Yes
3.1.2 Inhalation	Yes
3.1.3 Skin	Only if broken
3.1.4 Ingestion	Possible, Not Probable

3.2 Acute & Chronic:

3.2.1 Inhaled	Excessive airborne exposure levels may produce nuisance effects such as nose & throat irritation, coughing & sneezing
3.2.2 Swallowed	Most unlikely under normal conditions of use. Intentionally consuming large amounts of this product may cause abdominal discomfort and headache
3.2.3 Skin	This product is not absorbed through the skin. Entry through open wounds may cause local irritation
3.2.4 Eye	The dust from this product may cause irritation, watering and redness

3.3 Long Term Implications:

3.3.1 Carcinogenicity:	None reported
3.3.2 NTP:	NO
3.3.3 IARC Monographs	NO
3.3.4 OSHA Regulated:	NO

3.4 Summary:

When applied according to Manufacturer's instructions, no adverse health effects have been reported

SECTION 4**FIRST AID MEASURES**

- 4.1 General** No unusual emergency procedures are indicated. Follow currently approved Red Cross or other suitably accredited first aid procedures as and when required
- 4.2 Eye contact:** For severe dust exposure rinse eyes with warm water for 15 minutes
If irritation persists, seek medical attention
- 4.3 Inhalation:** If difficulty in breathing occurs remove person to fresh air area.
- 4.4 Ingestion:** Although ingestion of significant amounts is unlikely, symptoms include Diarrhoea, nausea or vomiting. Administer 2 glasses of cleanwater and Seek medical attention

SECTION 5**FIRE FIGHTING MEASURES****5.1 Fire Resistance Properties:**

- 5.1.1** Spread of flame Index : 0 (AS 1530.3)
- 5.1.2** Ignitability Index : 0 (AS 1530.3)
- 5.1.3** Heat Developed Index : 0 (AS 1530.3)
- 5.1.4** Smoke Index : 3 (AS 1530.3)
- 5.1.5** British Standard Classification : Class 1 (BS 476.7)
- 5.1.6** Australian Standard Class : Group 1 (AS 3837)
- 5.1.7** North America Standard : Class A (ASTM E84)

5.2 Extinguishing Media: No Restrictions

5.3 Unusual Fire & Explosion: None Reported

- 5.3.1** No unusual firefighting methods are indicated
- 5.3.2** Extreme heat may produce carbon monoxide and other toxic decomposition products
- 5.3.3** Wear appropriate firefighting protective equipment

5.4 Flash Point: Not Applicable

5.6 Flammable Limits: Not Applicable

5.7 Fire & Explosion Hazard: Not Applicable

SECTION 6**ACCIDENTAL SPILL & RELEASE MEASURES****6.1 Steps to be taken in case material is released or spilled:**

- 6.1.1** Wear appropriate personal protective gear described in SECTION 8 of this MSDS
- 6.1.2** Lightly wet spilled material with water to prevent dusting and transfer to leak proof container.
- 6.1.3** Seal container, attach appropriate labels, and dispose according to State/Local regulations

SECTION 7**HANDLING & STORAGE**

- 7.1** Store in closed containers in cool, dry protected area
- 7.2** Isolate from incompatible substances.
- 7.3** Wear appropriate personal protective gear described in SECTION 8 of this MSDS
- 7.4** Lightly wet material in pumping machine to minimize generated dust

SECTION 8**EXPOSURE CONTROL & PERSONAL PROTECTION****8.1 Respiratory Protection:**

- 8.1.1** Under normal Manufacturer's specified application conditions, no respiratory protection should be necessary. It is recommended to avoid irritation from nuisance dust to wear dust and mist cupped respirators Type P1 or Type P2 by 3M or similar
- 8.1.2** Under emergency firefighting conditions, responders should wear appropriate protective firefighting equipment.

8.2 Ventilation:

As may be needed to control excessive exposure to dust – Local exhaust recommended

8.3 Protective Gloves:

Optional for this product

8.4 Eye Protection:

Optional & recommended for this product – use general purpose non fogging PVC goggles if required. Recommended in high wind situations

8.5 Protective Clothing:

Wear usual protective gear appropriate to dusty work environment

8.6 Hygienic Practices:

Wash hands and face before eating, shower and change clothing daily

SECTION 9**PHYSICAL & CHEMICAL PROPERTIES**

9.1 Physical State:	Solid (fibrous) mass
9.2 Density	20.0 kg/m ³ when loose and uncompressed
9.3 pH	8.0 – 8.6
9.4 Solubility in water:	Slight (<20gm/litre)
9.5 Evaporation rate (Butyl Acetate=1):	Not applicable
9.6 Melting / Freezing / Boiling point:	N/A
9.7 Appearance:	Fibrous Material, Grey, White or Beige in appearance
9.8 Odour:	Odourless
9.9 Colour of material:	Grey / White / Beige / Black – Refer Manufacturer

SECTION 10**STABILITY & REACTIVITY**

10.1 Stability/Stable:	Yes. Stable
10.2 Conditions to Avoid:	Stable under normal ambient room conditions
10.3 Incompatibility:	Fire retardant properties may be reduced if contamination occurs with oils, fuels, other flammable / combustible materials, and/or strong oxidizers
10.4 Hazardous Decomposition by products:	On heating expected decomposition products include, but are not limited to, the following: carbon monoxide & carbon dioxide. Fire Fighters should wear appropriate protective clothing & respiratory protective equipment.
10.5 Hazardous Polymerization:	Will not occur

SECTION 11**TOXICOLOGICAL & EPIDEMIOLOGICAL DATA**

11.1 Hazchem Code:	None allocated
---------------------------	----------------

SECTION 12**ECOLOGICAL / GREEN STAR INFORMATION**

12.1	The base material is manufactured primarily from wood pulp and is not considered a hazard in any format.	
12.2	Minimum Recycled Content	: 80 % by weight
12.3	Volatile Organic Content (VOC)	: 1.0 g/L
12.4	Ozone Depletion Potential (ODP)	: NIL
12.5	Embodied Energy @ 100mm thick	: 14 MJ

SECTION 13**DISPOSAL CONSIDERATIONS****13.1 Waste Disposal Method:**

Dispose according to applicable waste regulations. Current legislation permit dumping of product in landfill tips.

SECTION 14**TRANSPORTATION INFORMATION****14.1**

This product is not classified as a hazardous material to transport
No special clean up procedure is required if the product is spilled.

SECTION 15**REGULATORY INFORMATION****15.1**

This product is classified as hazardous as per NOHSC's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]

SECTION 16**HEALTH & SAFETY INFORMATION TO USERS****16.1****General Practice:****16.1.1 Ventilation:**

As may be needed to control excessive exposure to dust –
Local Exhaust recommended within non ventilated enclosed areas

16.1.2 Protective Gloves:

Optional for this product

16.1.3 Eye Protection:

Optional for this product – use general purpose non fogging PVC
Goggles if required

16.1.4 Protective Clothing:

Wear usual protective gear appropriate to work environment

16.1.5 Hygienic Practices:

Wash hands and face before eating
Shower and change clothing daily

16.2**In case of:****16.2.1 Eye contact:**

Rinse eyes with water

16.2.2 Inhalation:

Remove person to fresh air area

END OF MSDS.....END OF MSDS